

300346



67

2020

122,067,253
61,300.00
ArF 2000
/

1

2014

2016 11

/

CPU

2020

70%

2017 4

45-28-14

300

2020 8

2

12% 4

70%

ArF KrF g /i

93% 80% 61%

PCB

LCD

ArF

28nm 14nm

10nm

3

LED

5G

2019

80

35

94%

85%

1

2017

02

ArF

3

ArF

ArF

25 193nm ArF

90nm-14nm

2

LED

02

2016

6N

2019 11

2000 /

3

| 2017 | 2018 | 2019 | 2020 | 1-9 | |
|-----------|------|-----------|------|-----------|-----------|
| | | 17,721.35 | | 22,817.49 | 32,137.58 |
| 42,929.35 | | | | 34.67% | |
| MO | | | | | |

2020 9 30

39.44%

公

A

1.00

1

2

A

35

$$= \frac{80\%}{N}$$

$$/ \quad P_1 = P_0 - D$$

$$P_1 = P_0 / (1 + N)$$

$$P_1 = \frac{P_0 - D}{1 + N}$$

$$\frac{P_0}{P_1} = \frac{D}{N}$$

1

1

2

3

4

5

6

2

1

2

3

3

1

30%

2

30%

3

18

6

4

4

2020

[2013]110

[2014]17

[2015]31

1

1

2 2021 6

3 122,067,253

4

5 2020 1-9 8,946.95

403.53

2020 1-9 2020

$8,946.95/3*4=11,929.27$

$403.53/3*4=538.04$

6 2018 9 20 2018 10 9

2018

2019 4 10

2019 5 7

662.47

2.42%

2020 7

14

230

2021 12

31

7 2020 2021

8 2021

1 2020

2 2020 20% 3 2020 20%

9

2020 2021

2020 2021

2

| | 2020.12.31 | 2021.12.31 | 2021 |
|-------------|------------|-------------|------------|
| | 2020 | | |
| | 40,689.08 | 40,689.08 | 52,895.81 |
| 2021 | | 2020 | |
| | 11,929.27 | 11,929.27 | 11,929.27 |
| | 538.04 | 538.04 | 538.04 |
| | 0.30 | 0.30 | 0.26 |
| | 0.30 | 0.30 | 0.26 |
| | 0.01 | 0.01 | 0.01 |
| | 0.01 | 0.01 | 0.01 |
| 2021 | | 2020 | 20% |
| | 11,929.27 | 14,315.12 | 14,315.12 |
| | 538.04 | 645.65 | 645.65 |
| | 0.30 | 0.36 | 0.31 |
| | 0.30 | 0.36 | 0.31 |
| | 0.01 | 0.02 | 0.01 |
| | 0.01 | 0.02 | 0.01 |
| 2021 | | 2020 | 20% |
| | 11,929.27 | 9,543.42 | 9,543.42 |
| | 538.04 | 430.43 | 430.43 |
| | 0.30 | 0.24 | 0.21 |
| | 0.30 | 0.24 | 0.21 |
| | 0.01 | 0.01 | 0.01 |
| | 0.01 | 0.01 | 0.01 |

1

2

9

2020

1

2

2020

1

2

3

2021 -2023

2020

2021 -2023

A

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

5% — 公

A

5%

1. /

2.

/

3. /

/

/

4.

/

/

/

2021 1 11